



THIS OUTLINE APPLIES TO THE FOLLOWING MODELS:

M843NW2.1/1800 RPM 60hz 12kW 3Ø..	APPROX WT. DRY:	321 KG (708 lbs.)
M843NW2.3/1800 RPM 60hz 12kW 1Ø..	APPROX WT. DRY:	321 KG (708 lbs.)
M843NW2.5/1500 RPM 50hz 10kW 3Ø..	APPROX WT. DRY:	321 KG (708 lbs.)
M843NW2.7/1500 RPM 50hz 10kW 1Ø..	APPROX WT. DRY:	321 KG (708 lbs.)

NOTE:

- 1) CENTER OF GRAVITY VALUES DO NOT INCLUDE PTO/CLUTCH ASSY.
- 2) PTO ADAPTER/CLUTCH ASSY (ONLY) WEIGHS APPROX. 29.5 KG [65lbs]. PTO CG DIM IS 554.1 [21.8] FROM REAR FACE OF FLYWHEEL HOUSING.
- 3) CUSTOMER MUST RECALCULATE CG FOR ADDITION OF HYDRAULIC PUMP.

(OPTIONAL EQUIPMENT)
HYDRAULIC PUMP MOUNTING FACE
"B" SPLINE 13T 16/32 DP
2 OR 4 BOLT

THE DIMENSIONS ON THIS DRAWING ARE SUBJECT TO CHANGE. PLEASE CONTACT A.D.E. TO BE SURE YOU HAVE THE MOST CURRENT VERSION.

MAXIMUM HYD. PUMP WT.: 43 Kg (95 Lbs.)
MAXIMUM PTO TORQUE: 12.4 KgM (90 Ft. lbs.)



A		03/24/06		UPDATE APPLICATIONS/CHANGE THE LAYERS/BORDER		SLV	
SYMBOL	DATE	REVISIONS				BY	CHECKED
TOLERANCES UNLESS OTHERWISE SPECIFIED							
XX	±.3	NORTHERN LIGHTS					
XXX	±.1	4420 14th Avenue N.W.					
ANGULAR	±1.0	Seattle, WA 98107					
CAD		DRAWN		LIP		09/01/04	
REVISE ON CAD ONLY		CHECKED		SCALE		1/5	
THIRD ANGLE PROJECTION		RELEASED		SHEETS		1 OF 1	
LIMITS OF MEASURE		MM (IN)		P/W			
TITLE: INSTALLATION DIMENSIONS							
M843NW2/PX312K2							
DWG. NO. C-5631							
REV. A							